



**FLEXIBILITY**

STANDARD FEATURES, OPTIONS & BENEFITS

**Continental<sup>®</sup>**  
**Refrigerator**

# TABLE OF CONTENTS

About Continental .....	3
NEW Shallow Depth Undercounters .....	4
Sandwich Units .....	6
NEW Shallow Depth Base Models .....	8
Pizza Preparation Tables .....	9
Milk Coolers.....	10
Griddle Stands.....	11
Bar Equipment .....	12
Reach-Ins & Pass-Thrus.....	14
Designer Line Reach-Ins & Roll-Ins .....	16
How to Buy .....	18

# About Continental



539 DUNKSFERRY ROAD, BENSALEM, PA, USA



3434 STATE ROAD, BENSALEM, PA, USA

## **FLEXIBLE Solutions for Today's Operators.**

Established in 1989 and now among the leaders in commercial refrigeration equipment, Continental Refrigerator has earned a reputation for innovation and excellence through our commitment to teamwork, technology-focused product strategies and to our policy of always placing **customer satisfaction above all else**. Our products are *thoughtfully designed and assembled in the USA*, engineered for food safety, optimal performance and *built to last*.

In addition to our wide range of products – we offer **versatility** and **flexibility** to provide you with a functional solution that perfectly meets all of your kitchen requirements.

- **2 Manufacturing Facilities**
- **Privately Held Company**
- **Over 2500 Models**
- **Solutions Provider**

## **CONTACT THE FACTORY**

TOLL FREE: 800-523-7138

LOCAL: 215-244-1400

[continentalsales@nrac.com](mailto:continentalsales@nrac.com)

[www.continentalrefrigerator.com](http://www.continentalrefrigerator.com)

**NEW!**

# SHALLOW DEPTH UNDERCOUNTERS

UC24SN

COMING  
SOON  
IN 2023!



**FLEXIBLE Option**

Easy, in-the-field rehinging of doors

**Benefit**

Workflow flexibility after the installation, easy cleaning & servicing



**STANDARD Feature**

Overall height under 32"

**Benefit**

Able to fit under ADA required counter tops

**STANDARD Feature**

Magnetic, snap-in Santoprene™ door gasket

**Benefit**

Easily removable for cleaning

**STANDARD Feature**

Front breathing (intake & exhaust from the front)

**Benefit**

Conserves space by allowing cabinet to be flush against the wall or built into counter

# UC48SN



## **FLEXIBLE Option**

Easy, in-the-field rehinging of doors

### **Benefit**

Workflow flexibility after the installation, easy cleaning & servicing



## **STANDARD Feature**

Overall height under 32"

### **Benefit**

Able to fit under ADA required counter tops

## **STANDARD Feature**

Magnetic, snap-in Santoprene™ door gasket

### **Benefit**

Easily removable for cleaning

## **STANDARD Feature**

Front breathing (intake & exhaust from the front)

### **Benefit**

Conserves space by allowing cabinet to be flush against the wall or built into counter

## **STANDARD FEATURE**

## **BENEFIT**

Easily accessible condensing unit

Easily serviceable

Stainless steel exterior and interior

Strength & Durability

Cylinder lock in door(s)

Prevents tampered or stolen product

Performance-rated capillary tube system

Sized for optimal system performance

26 5/8" depth

Fits into small spaces

Automatic hot gas condensate evaporator

Eliminates condensate water w/o floor drain or electric heater

# SANDWICH UNITS

## SW60N24M

(Shown with **FLEXIBLE** options)



### **FLEXIBLE Option**

16-gauge overshelves  
(single or double)

### **Benefit**

Easier item storage  
and handling at an  
arm's reach



### **INCLUDED w/ Double Overshelves**

Hat channel (upper shelf only)

### **Benefit**

Adds stability & the ability to add a  
heat lamp (not included)



### **FLEXIBLE Option**

Vision Panel Lid  
in lieu of standard  
insulated lid

### **Benefit**

Product visibility

Flat lid (insulated) or  
optional hinged glass lid  
also available



### **FLEXIBLE Option**

Easy, in-the-field  
conversion from door to  
drawer or drawer to door,  
or rehinging doors

### **Benefit**

Workflow flexibility after  
the installation, easy  
cleaning & servicing



Drawer cage



Optional composite  
cutting board



Optional 1/9 size crumb pan  
recessed into cutting board

# SW60N24M-HGL-FB



**FLEXIBLE Option**  
Hinged glass lid  
w/ integral stainless steel  
gas spring lid supports  
**Benefit**  
Lid opens/closes gently  
while supporting lid,  
product visibility

**FLEXIBLE Option**  
Front breathing  
(intake & exhaust from the front)  
**Benefit**  
Conserves space by allowing cabinet  
to be flush against the wall or built  
into counter, converts in the field

## STANDARD FEATURE

## BENEFIT

Electronic control w/ digital display

High accuracy & better user control

Door or drawer combinations

Maximize usable storage space

Standard, Mighty or Cutting Top

Versatility to meet operational needs

Heavy-duty stainless steel top

Superior corrosion resistance

Insulated hood & lid

Helps maintain food temperatures in pans

Thermal Expansion Valve (TXV)

Quicker cabinet temperature recovery

**NEW!**

# SHALLOW DEPTH BASE MODELS

**RA43SN6**

(Shown with **FLEXIBLE** options)

**COMING  
SOON  
IN 2023!**



**FLEXIBLE Option**  
Easy, in-the-field conversion from door to drawer or drawer to door, or rehinging doors

**Benefit**  
Workflow flexibility after the installation, easy cleaning & servicing

**FLEXIBLE Option**  
Drawer in lieu of standard half door

**Benefit**  
Fits (4) 1/6 pans - Conserves kitchen space without compromising food storage capacity

**STANDARD Feature**  
Overall depth under 31"

**Benefit**  
Allows unit to fit into tighter spaces than Standard Unit

## STANDARD FEATURE

Refrigerated section w/ half door above the condensing unit

Door or drawer combinations

Various pan top opening options

Drawers fits industry-standard 12" x 20" x 6" pans

Insulated hood & lid<sup>+</sup>

Slide-out condensing unit

## BENEFIT

Added storage capacity

Maximize usable storage space

Versatility to meet operational needs

Standard food capacity, smaller footprint

Helps maintain food temperatures in pans

Easily serviceable

<sup>+</sup>Base Model Sandwich Units only

# PIZZA PREP TABLES

## PA68N

(Shown with FLEXIBLE options)



**FLEXIBLE Option**  
Composite cutting board  
**Benefit**  
Heat, cold, stain, & scratch resistant



**FLEXIBLE Option**  
Vision Panel Lid in lieu of standard insulated lid  
**Benefit**  
Product visibility

**FLEXIBLE Option**  
16-gauge overshelves (single or double)  
**Benefit**  
Easier item storage and handling at an arm's reach

**FLEXIBLE Option**  
Easy, in-the-field conversion from door to drawer or drawer to door, or rehinging doors  
**Benefit**  
Workflow flexibility after the installation, easy cleaning & servicing

**FLEXIBLE Option**  
Drawer in lieu of standard half door  
**Benefit**  
Conserves space w/ smaller width unit & still have pan capacity of larger width unit

**FLEXIBLE Option**  
Move the condensing unit to left (standard on right)  
**Benefit**  
Keeps refrigeration away from hot equipment nearby, prolonging life of unit



Drawer cage

## STANDARD FEATURE

Reversing condenser fan

Refrigerated section w/half door above the condensing unit

Low profile angled rail

Expansion valve system

Built-in, off-cycle defrost timer

Slide-out condensing unit

## BENEFIT

Helps self clean condenser on start up

Added storage capacity

Comfortable reach for food product

Maximum efficiency & quicker temp recovery

Minimizes ice build up on coil

Easily serviceable

# MILK COOLERS

## MC4NSSD

(Shown with **FLEXIBLE** options)

**FLEXIBLE Option**  
Low profile evaporator coil  
(dual access models)

**Benefit**  
Allows milk crates to  
move easier from one  
side to the other

**FLEXIBLE Option**  
Stainless steel interior

**Benefit**  
Added strength and  
durability, easy to clean

**FLEXIBLE Option**  
Corner or wrap-  
around bumpers

**Benefit**  
Added protection  
to exterior of unit



**FLEXIBLE Option**  
Laminate or  
powder coating  
**Benefit**  
Exterior customized  
to school cafeteria  
color/design



**FLEXIBLE Option**  
Floor foot pedal lock  
**Benefit**  
Prevents unit from  
moving out of place



## STANDARD FEATURE

- Electronic control w/digital display
- Reinforced stainless steel floor
- Single or dual access
- Snap-in lid & door gasket
- Floor drain
- Heavy-duty floor racks
- Heavy duty, stainless steel lid, door hinges & latches

## BENEFIT

- High accuracy & better user control
- Adds strength & rust resistance
- Workflow flexibility
- Tighter seal provides greater efficiency
- Easy clean-up for regular maintenance & spills
- Do not bow or compromise cooling
- Long lasting durability

# GRIDDLE STANDS

## D84GN

(Shown with FLEXIBLE options)



### FLEXIBLE Option

Condensing unit to left (standard on right)

#### Benefit

Keeps refrigeration away from hot equipment nearby, prolonging life of unit



### FLEXIBLE Option

16-gauge stainless steel top

#### Benefit

Stronger to support extra-heavy equipment



### FLEXIBLE Option

Integral heat shield (shown cutaway)

#### Benefit

Prevents extreme heat from corroding unit



Drawer cage

## STANDARD FEATURE

Front breathing refrigeration system

Unique air flow distribution across back of unit

Electronic controller w/ digital display

7 sizes in refrigerators, 4 sizes in freezers

Easy glide, fully extendable drawers

- Built-in drawer cage

- Built-in safety clips

- Heavy-duty drawer track

Stainless steel interior, exterior & rear

Thermal Expansion Valve (TXV)

## BENEFIT

Allows cabinet to be flush against the wall

Optimally placed fans distribute air to all drawer sections

Higher accuracy & better user control

Versatility for different space constraints

Greater capacity & easy reach for cleaning

Removable for cleaning & servicing

Protects drawer from coming off track

Stronger support for each drawer to hold up to 250 lbs.

Greater strength for supporting heavy equipment

Quicker cabinet temperature recovery

# BAR EQUIPMENT

## KC69N

(Shown with **FLEXIBLE** options)



**FLEXIBLE Option**

Faucet lock

**Benefit**

Prevents tampered or stolen product

**FLEXIBLE Option**

Modify beer column placement

**Benefit**

Versatility in back bar needs



**FLEXIBLE Option**

Hinged-glass door w/ shelves

**Benefit**

Product versatility

**FLEXIBLE Option**

Riser base (field installed)

**Benefit**

Increases height by 2"

# BB69SNSSSGD

(Shown with FLEXIBLE options)



**FLEXIBLE Option**  
Move the condensing unit to right (standard on left)  
**Benefit**  
Keeps refrigeration away from hot equipment nearby, prolonging life of unit

**FLEXIBLE Option**  
Riser base (field installed)  
**Benefit**  
Increases height by 2"

## STANDARD FEATURE

## BENEFIT

Front breathing refrigeration system

Allows cabinet to be flush against wall or built into counter

Low profile cabinet design

Allows cabinet to fit under a counter

Continuously cooled, 3" diameter beer columns\*

Maintains beer at the correct dispensing temperature

Electronic controller w/ digital display

Higher accuracy & better user control

Stainless steel counter top & reinforced floor

Strength & durability

Slide-out condensing unit

Easily accessible for cleaning & servicing

Stainless steel drip grate w/ front-mounted drain hose\*

Convenient & easily removable for cleaning

Automatic hot gas condensate evaporator

Eliminates condensation

\*Keg cooler models only

# REACH-INS & PASS-THRUS

## 1RENSSHD

(Shown with FLEXIBLE options)



**FLEXIBLE Option**  
Stainless steel back  
**Benefit**  
Added strength and durability

**FLEXIBLE Option**  
Half door, half drawer combinations  
**Benefit**  
Workflow flexibility

## 1RSEN

(Shown with FLEXIBLE options)



**FLEXIBLE Option**  
Electronic safety door lock w/ alarm  
**Benefit**  
Automatically locks door when inside temperature reaches unsafe food safety levels

← UNDER 18" WIDE! →



### REMOTE TEMPERATURE LOGGER AVAILABLE FOR ALL CONTINENTAL UNITS

- "Always On" monitoring of 2 temperatures per logger, 24 hours a day, 365 days a year
- Free mobile app provides access to logger settings and data from phones, tablets or other devices

# 2RNSSHD

(Shown with FLEXIBLE options)



**ENERGY STAR®**  
certified models!<sup>1</sup>



**FLEXIBLE Option**  
Chrome-plated wire rod or stainless steel pan slides (shown)  
**Benefit**  
Prep ahead, space-saving storage

**FLEXIBLE Option**  
Half door, half drawer combinations  
**Benefit**  
Workflow flexibility

<sup>1</sup>Certain models only. See specification sheets for more information.

## STANDARD FEATURE

## BENEFIT

Top mounted refrigeration system

Removable for servicing, cleaning & converting in field

Electronic controller w/digital display

Higher accuracy & better user control

3" foam insulation

Thicker for efficiency & reduced reliance on refrigeration system

Cam-action, lift-off hinges

Adjustments & door removal without tools

Welded door corners

Added strength & durability

LED interior lighting

Efficient & safer

Cylinder lock in each door

Prevents theft or tampering of product

*Designer line*

# REACH-INS & ROLL-INS

## D1RSNSSHD

(Shown with **FLEXIBLE** options)



**ENERGY STAR**<sup>®</sup>  
certified models!<sup>1</sup>

## D1RINSS



### **FLEXIBLE Option**

Factory-encased laminated door fronts

### **Benefit**

Aesthetics to match kitchen design, easy to clean

Standard air distribution down duct system



Optional correctional facility security package



# D2RENSSGDHD

(Shown with FLEXIBLE options)

**FLEXIBLE Option**  
Half doors, solid doors/hinged glass doors combinations  
**Benefit**  
Versatility in storage & display options

**FLEXIBLE Option**  
Stainless steel or chrome shelves  
**Benefit**  
Sturdy & corrosion resistant



**FLEXIBLE Option**  
Universal stainless steel pan slides (shown)  
**Benefit**  
Prep ahead space saving storage

## STANDARD FEATURE

## BENEFIT

Removable stainless steel ramps & rack guides\*

Easy movement of higher quantities of food

Reinforced stainless steel floor\*

Durability to support rack guides

Top mounted refrigeration system

Removable for servicing, cleaning & converting in field

Air distribution down duct system

Optimal distribution of air to all levels

Electronic controller w/ digital display

Higher accuracy & better user control

3" foam insulation

Thicker for efficiency & reduced reliance on refrigeration system

Cam-action, lift-off hinges

Adjustments & door removal without tools

Welded door corners

Added strength & durability

LED interior lighting

Efficient & safer




\*Roll-In models only

# HOW TO BUY

## LOCAL SALES REPRESENTATIVES

## STATES COVERED

LOCAL SALES REPRESENTATIVES	STATES COVERED
Wyllie Marketing Weymouth, MA (781) 340-6157	ME, RI, NH, MA, VT, CT
Link 2 Hospitality Solutions Rochester, NY (585) 254-1780	Upstate NY
Pecinka Ferri Associates Fairfield, NJ (973) 812-4277	N. NJ, New York City
Schmid Dewland & Associates Marlton, NJ (856) 783-3400	E. PA, DE, S. & Central NJ
Link 2 Hospitality Solutions Bridgeville, PA (412) 341-2020	W. PA, W. VA (except Panhandle)
High Sabatino Associates, Inc. Jessup, MD (301) 470-7051	DC, MD, VA, W. VA (Panhandle)
Stiefel Associates, Inc. Lansing, MI (517) 393-3019	MI (except Upper Peninsula)
Dick Stanley & Associates Pickerington, OH (800) 833-0797	OH, KY
Gabriel Group Fishers, IN (800) 832-6442	IN
Jay Mark Group, LTD Elk Grove Village, IL (847) 545-1918	N. IL
North Star Agency Plymouth, MN (763) 545-1400	MN, ND, SD
Mirkovich & Associates Waukesha, WI (630) 792-0080	WI, MI (Upper Peninsula)
Select Marketing St. Louis, MO (314) 961-3332	MO, KS, IA, NE, S. IL
Master Marketing Carolina High Shoals, NC (704) 860-0092	NC, SC
Pro-Quip Foodservice Little Rock, AR (501) 221-7120	AR, LA, MS, W. TN (W. of Tenn. River)
The Veitch Group Ft. Lauderdale, FL (954) 316-6162	FL (except Panhandle)
Merkolat Davie, FL (561) 594-7153	Latin America, Caribbean
Premier Foodservice Group Peachtree Corners, GA (877) 667-2192	AI, FL (Panhandle), GA, E. TN (E. of Tenn River)
Ignite Foodservice Solutions Denver, CO (303) 433-0124	CO, S. ID, MT, UT WY
Roller & Associates Seattle, WA (206) 547-3555	WA, OR, AK, N. ID
Foodservice Equipment Agents Anaheim, CA (714) 693-3329	AZ (Bull Head City), S. CA, S. NV
Inform Marketing Group Walnut Creek, CA (510) 337-0420	N. CA, N. NV
Ignite Foodservice Solutions Phoenix, AZ (303) 433-0124	AZ (except Bull Head City), NM, TX (EI Paso)
Forbes Hever & Wallace, Inc. Coppell, TX (972) 219-8898	OK, TX (except EI Paso)






Continental Refrigerator is proud to be an **ENERGY STAR®** Partner



Scan to see our Energy Star certified models



PROUDLY  
DESIGNED & ASSEMBLED  
IN THE U.S.A.



**A Division of National Refrigeration & Air Conditioning Products**

Continental Refrigerator | Local: (215) 244-1400  
539 Dunksferry Road | Toll Free: (800) 523-7138  
Bensalem, PA 19020 | Fax: (215) 244-9579

[www.continentalrefrigerator.com](http://www.continentalrefrigerator.com)

Due to our continued efforts in developing innovative products, specifications subject to change without notice.

**Continental**<sup>®</sup>  
**Refrigerator**